

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Interface Name/Id		Availability statistics		Performance statistics			
Interface type		Payment services user interface		Dedicated interface			
Has exemption been granted for dedicated interface?		Response (millisecs)		AISP response (millisecs)	PISP response (millisecs)	CBPII response (millisecs)	Error response rate (%)
Day	Uptime (%)	Downtime (%)	Response (millisecs)	AISP response (millisecs)	PISP response (millisecs)	CBPII response (millisecs)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00		612	376	0	0
2	100.00	0.00		564	413	0	0.01
3	100.00	0.00		596	389	0	0
4	100.00	0.00		584	444	0	0.1
5	100.00	0.00		539	378	0	0.01
6	79.58	20.42		754	370	0	1.34
7	100.00	0.00		582	443	0	0.07
8	100.00	0.00		564	384	0	0
9	100.00	0.00		557	383	0	0
10	100.00	0.00		563	318	0	0.06
11	100.00	0.00		550	351	0	0.11
12	100.00	0.00		513	351	0	0.02
13	100.00	0.00		529	279	0	0.03
14	100.00	0.00		528	390	0	0
15	74.93	25.07		3263	672	0	8.19
16	100.00	0.00		549	471	0	0.04
17	100.00	0.00		567	407	0	0.13
18	100.00	0.00		556	402	0	0
19	100.00	0.00		576	466	0	0.01
20	77.99	22.01		1037	505	0	3.7
21	100.00	0.00		566	483	0	0.06
22	100.00	0.00		654	490	0	6.23
23	100.00	0.00		614	416	0	5.09
24	100.00	0.00		573	357	0	0.08
25	100.00	0.00		574	406	0	0
26	100.00	0.00		558	398	0	0
27	95.07	4.93		734	395	0	1.58
28	100.00	0.00		582	444	0	0.01
29	100.00	0.00		624	423	0	0.01
30	100.00	0.00		582	408	0	0
31	100.00	0.00		583	411	0	0.01
32	100.00	0.00		455	374	0	0
33	100.00	0.00		519	388	0	0.01
34	100.00	0.00		506	365	0	0
35	100.00	0.00		519	392	0	0.01
36	100.00	0.00		549	483	0	0.06
37	100.00	0.00		733	1357	0	0
38	100.00	0.00		566	395	0	0.01
39	100.00	0.00		639	444	0	0.01
40	100.00	0.00		594	435	0	0
41	81.53	18.47		673	431	0	0.75
42	100.00	0.00		653	441	0	0.01
43	100.00	0.00		653	523	0	0.03
44	100.00	0.00		594	433	0	0
45	100.00	0.00		627	451	0	0.13
46	100.00	0.00		613	439	0	0
47	100.00	0.00		598	436	0	0
48	100.00	0.00		584	440	0	0
49	100.00	0.00		605	441	0	0.01
50	100.00	0.00		609	418	0	0.05
51	100.00	0.00		621	474	0	0.1
52	100.00	0.00		613	425	0	0.01
53	100.00	0.00		616	446	0	0.01
54	100.00	0.00		604	451	0	0
55	100.00	0.00		593	452	0	0.01
56	100.00	0.00		614	460	0	0
57	100.00	0.00		617	472	0	0.02
58	100.00	0.00		684	454	0	0.02
59	100.00	0.00		617	468	0	0.01
60	100.00	0.00		624	449	0	0.02
61	100.00	0.00		577	435	0	0.01
62	100.00	0.00		572	479	0	0.01
63	100.00	0.00		601	457	0	0.01
64	100.00	0.00		589	414	0	0.01
65	100.00	0.00		607	421	0	0.01
66	100.00	0.00		586	449	0	0.01
67	100.00	0.00		591	433	0	0.02
68	100.00	0.00		580	416	0	0.01
69	85.69	14.31		654	407	0	0.91
70	100.00	0.00		608	417	0	0.01
71	100.00	0.00		662	425	0	0.05
72	100.00	0.00		589	421	0	0.01
73	100.00	0.00		601	1361	0	0.07

74	100.00	0.00		585	462	0	0.01
75	100.00	0.00		574	430	0	0.01
76	100.00	0.00		564	419	0	0.01
77	100.00	0.00		592	450	0	0.01
78	100.00	0.00		588	424	0	0.01
79	100.00	0.00		586	423	0	0.01
80	100.00	0.00		587	406	0	0.01
81	97.22	2.78		594	442	0	0.5
82	100.00	0.00		578	438	0	0.01
83	100.00	0.00		566	433	0	0.01
84	100.00	0.00		593	441	0	0.02
85	100.00	0.00		578	429	0	0
86	100.00	0.00		560	413	0	0.01
87	100.00	0.00		563	415	0	0.01
88	100.00	0.00		584	410	0	0.01
89	100.00	0.00		574	402	0	0.01
90	100.00	0.00		568	423	0	0.01
91	100.00	0.00		590	427	0	0
92	100.00	0.00		588	459	0	0.01

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id							
Tesco Bank Online Banking							
Availability statistics			Performance statistics				
Day	B		Payment services user interface	Dedicated interface			
	Interface type	Interface type		PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
	C		Response (milliseconds)	G	H	I	J
	Has exemption been granted for dedicated interface?						
	Uptime (%)	Downtime (%)					
	D	E	F				
1	100.00	0.00	577				
2	100.00	0.00	530				
3	100.00	0.00	549				
4	100.00	0.00	542				
5	100.00	0.00	510				
6	79.58	20.42	501				
7	100.00	0.00	558				
8	100.00	0.00	518				
9	100.00	0.00	493				
10	100.00	0.00	512				
11	100.00	0.00	522				
12	100.00	0.00	497				
13	100.00	0.00	471				
14	100.00	0.00	469				
15	74.93	25.07	2740				
16	100.00	0.00	469				
17	100.00	0.00	492				
18	100.00	0.00	478				
19	100.00	0.00	489				
20	77.99	22.01	543				
21	100.00	0.00	486				
22	100.00	0.00	453				
23	100.00	0.00	458				
24	100.00	0.00	485				
25	100.00	0.00	482				
26	100.00	0.00	697				
27	95.07	4.93	491				
28	100.00	0.00	494				
29	100.00	0.00	496				
30	100.00	0.00	491				
31	100.00	0.00	492				
32	100.00	0.00	496				
33	100.00	0.00	474				
34	100.00	0.00	511				
35	100.00	0.00	623				
36	100.00	0.00	493				
37	100.00	0.00	487				
38	100.00	0.00	485				
39	100.00	0.00	489				
40	100.00	0.00	478				
41	81.53	18.47	544				
42	100.00	0.00	501				
43	100.00	0.00	504				
44	100.00	0.00	492				
45	100.00	0.00	515				
46	100.00	0.00	501				
47	100.00	0.00	488				
48	100.00	0.00	476				
49	100.00	0.00	499				
50	100.00	0.00	494				
51	100.00	0.00	568				
52	100.00	0.00	508				
53	100.00	0.00	514				
54	100.00	0.00	491				
55	100.00	0.00	492				
56	100.00	0.00	514				
57	100.00	0.00	509				
58	100.00	0.00	502				
59	100.00	0.00	502				
60	100.00	0.00	523				
61	100.00	0.00	481				
62	100.00	0.00	481				
63	100.00	0.00	520				
64	100.00	0.00	492				
65	100.00	0.00	486				
66	100.00	0.00	484				
67	100.00	0.00	488				
68	100.00	0.00	478				
69	85.69	14.31	475				
70	100.00	0.00	498				
71	100.00	0.00	509				
72	100.00	0.00	492				
73	100.00	0.00	508				
74	100.00	0.00	491				
75	100.00	0.00	482				

76	100.00	0.00	473				
77	100.00	0.00	504				
78	100.00	0.00	499				
79	100.00	0.00	498				
80	100.00	0.00	510				
81	97.22	2.78	492				
82	100.00	0.00	495				
83	100.00	0.00	484				
84	100.00	0.00	514				
85	100.00	0.00	497				
86	100.00	0.00	469				
87	100.00	0.00	475				
88	100.00	0.00	490				
89	100.00	0.00	477				
90	100.00	0.00	480				
91	100.00	0.00	497				
92	100.00	0.00	500				

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Interface Name/Id		Availability statistics		Payment services user interface	Performance statistics			
Interface type		Dedicated interface		Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
Has exemption been granted for dedicated interface?		Uptime (%)	Downtime (%)					
Day		D	E	F	G	H	I	J
1	Tesco Bank Mobile Banking	100.00	0.00	1916				
2		100.00	0.00	1523				
3		100.00	0.00	1413				
4		100.00	0.00	1413				
5		100.00	0.00	1379				
6		100.00	0.00	1421				
7		100.00	0.00	1511				
8		100.00	0.00	991				
9		100.00	0.00	595				
10		100.00	0.00	779				
11		100.00	0.00	575				
12		92.15	7.85	550				
13		80.49	19.51	514				
14		100.00	0.00	510				
15		74.93	25.07	632				
16		100.00	0.00	499				
17		100.00	0.00	519				
18		100.00	0.00	538				
19		100.00	0.00	510				
20		100.00	0.00	517				
21		100.00	0.00	523				
22		97.29	2.71	509				
23		100.00	0.00	542				
24		100.00	0.00	502				
25		100.00	0.00	542				
26		100.00	0.00	505				
27		100.00	0.00	483				
28		100.00	0.00	550				
29		100.00	0.00	536				
30		100.00	0.00	514				
31		100.00	0.00	535				
32		100.00	0.00	541				
33		100.00	0.00	496				
34		100.00	0.00	483				
35		100.00	0.00	514				
36		100.00	0.00	547				
37		100.00	0.00	518				
38		100.00	0.00	528				
39		100.00	0.00	538				
40		100.00	0.00	501				
41		100.00	0.00	558				
42		100.00	0.00	512				
43		100.00	0.00	509				
44		100.00	0.00	509				
45		100.00	0.00	512				
46		100.00	0.00	515				
47		100.00	0.00	493				
48		100.00	0.00	482				
49		100.00	0.00	508				
50		100.00	0.00	537				
51		100.00	0.00	545				
52		100.00	0.00	518				
53		98.40	1.60	716				
54		100.00	0.00	501				
55		100.00	0.00	493				
56		100.00	0.00	555				
57		100.00	0.00	541				
58		100.00	0.00	542				
59		100.00	0.00	555				
60		100.00	0.00	599				
61		100.00	0.00	522				
62		100.00	0.00	516				
63		100.00	0.00	577				
64		100.00	0.00	541				
65		100.00	0.00	529				
66		100.00	0.00	524				
67		100.00	0.00	533				
68		100.00	0.00	516				
69		100.00	0.00	629				
70		100.00	0.00	546				
71		100.00	0.00	519				
72		100.00	0.00	497				
73		100.00	0.00	496				

74	100.00	0.00	512				
75	100.00	0.00	491				
76	100.00	0.00	479				
77	100.00	0.00	519				
78	100.00	0.00	503				
79	100.00	0.00	508				
80	100.00	0.00	520				
81	97.22	2.78	563				
82	100.00	0.00	513				
83	100.00	0.00	493				
84	100.00	0.00	537				
85	100.00	0.00	519				
86	100.00	0.00	467				
87	100.00	0.00	492				
88	100.00	0.00	541				
89	100.00	0.00	514				
90	100.00	0.00	498				
91	100.00	0.00	537				
92	100.00	0.00	548				