

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Interface Name/Id		Availability statistics		Payment services user interface	Performance statistics					
Interface type		B			Dedicated interface					
Has exemption been granted for dedicated interface?		C			Response (millisecs)	PISP response (millisecs)	AISP response (millisecs)	CBPII response (millisecs)	Error response rate (%)	
Day		Uptime (%)	Downtime (%)	D						E
1		100	0		624	1287	0	1.69		
2		100	0		628	1023	0	0.58		
3		100	0		0	1080	0	1.22		
4		100	0		537	1198	0	0.53		
5		100	0		0	1085	0	0		
6		100	0		0	2500	0	1.36		
7		100	0		0	1075	0	0		
8		100	0		467	1182	0	0		
9		100	0		714	1131	0	0.44		
10		100	0		756	1230	0	0		
11		100	0		0	1207	0	0		
12		100	0		0	1112	0	0		
13		100	0		0	1122	0	0.2		
14		100	0		0	1097	0	0.72		
15		100	0		0	1149	0	0		
16		100	0		0	1144	0	0		
17		100	0		258	1048	0	0		
18		100	0		0	1230	0	0		
19		100	0		0	1205	0	0		
20		100	0		0	2086	0	0.4		
21		100	0		622	1130	0	0.45		
22		100	0		0	1175	0	0		
23		100	0		1361	1286	0	0.78		
24		100	0		633	1252	0	0		
25		100	0		637	1195	0	0		
26		100	0		681	1197	0	0		
27		100	0		531	588	0	0		
28		100	0		519	895	0	0		
29		100	0		597	976	0	0		
30		100	0		523	840	0	0		
31		100	0		547	908	0	0		
32		100	0		509	964	0	0		
33		100	0		519	844	0	0		
34		100	0		525	950	0	0		
35		100	0		534	923	0	0		
36		100	0		465	887	0	0		
37		100	0		536	1019	0	0.09		
38		100	0		493	936	0	0		
39		100	0		503	917	0	0		
40		100	0		466	959	0	0		
41		100	0		481	925	0	0		
42		100	0		486	930	0	0		
43		100	0		490	893	0	0		
44		100	0		501	904	0	0		
45		100	0		495	926	0	0		
46		100	0		494	822	0	0		
47		100	0		468	719	0	0		
48		100	0		451	727	0	0		
49		100	0		1192	670	0	0		
50		100	0		508	829	0	0		
51		100	0		467	1036	0	0		
52		100	0		488	1139	0	0		
53		100	0		451	423	0	0.57		
54		100	0		401	410	0	0		
55		100	0		422	441	0	0		
56		100	0		452	433	0	0		
57		100	0		525	499	0	0.04		
58		100	0		425	591	0	0.6		
59		98.46	1.54		451	639	0	1.46		
60		99.5	0.5		403	625	0	0.82		
61		98.69	1.31		421	648	0	1		
62		97.17	2.83		415	598	0	0.88		
63		96.91	3.09		415	598	0	1.46		
64		98.16	1.84		429	566	0	0.27		
65		98.34	1.66		425	647	0	0.12		
66		100	0		427	824	0	0.14		
67		100	0		454	726	0	0.13		
68		100	0		411	715	0	0.17		
69		100	0		400	1258	0	0		
70		100	0		415	1008	0	0		
71		100	0		478	803	0	0.03		
72		100	0		449	974	0	0		
73		100	0		449	972	0	0.07		
74		100	0		395	932	0	0.12		
75		100	0		432	941	0	0.04		

76	100	0		412	918	0	0.07
77	100	0		406	893	0	0
78	100	0		440	903	0	0.04
79	100	0		387	921	0	0
80	100	0		476	962	0	0.1
81	100	0		531	927	0	0
82	100	0		455	926	0	0
83	100	0		469	955	0	0
84	100	0		621	1044	0	0
85	100	0		385	995	0	0.1
86	100	0		473	881	0	0
87	100	0		526	862	0	0
88	100	0		453	865	0	0.08
89	100	0		461	846	0	0.04
90	100	0		436	813	0	0
91	100	0		494	899	0	0.1
92	100	0		563	925	0	0.03

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Online Banking					
Availability statistics			Performance statistics				
Day	B		Payment services user interface	Dedicated interface			
	Interface type	PSU Interface		PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
C		Response (milliseconds)	G				
Has exemption been granted for dedicated interface?				Yes			
	Uptime (%)	Downtime (%)					
	D	E	F				
1	100	0	1278				
2	100	0	1212				
3	100	0	1186				
4	100	0	1563				
5	100	0	1126				
6	100	0	1176				
7	100	0	1229				
8	100	0	1220				
9	100	0	1189				
10	100	0	1211				
11	100	0	1215				
12	100	0	1114				
13	100	0	1089				
14	100	0	1158				
15	100	0	1166				
16	100	0	1130				
17	100	0	1120				
18	100	0	1152				
19	100	0	1060				
20	100	0	1137				
21	100	0	1141				
22	100	0	1129				
23	100	0	1036				
24	100	0	1017				
25	100	0	1084				
26	94.17	5.83	1039				
27	85	15	1036				
28	100	0	1148				
29	100	0	1144				
30	100	0	1149				
31	100	0	1212				
32	97.15	2.85	1387				
33	100	0	1146				
34	100	0	1131				
35	100	0	1236				
36	100	0	1208				
37	100	0	1325				
38	100	0	1296				
39	100	0	1203				
40	100	0	1141				
41	100	0	1117				
42	98.33	1.67	1184				
43	81.87	18.13	1148				
44	100	0	1112				
45	100	0	1157				
46	100	0	1138				
47	100	0	1108				
48	100	0	1097				
49	100	0	1203				
50	87.85	12.15	1145				
51	100	0	1142				
52	97.99	2.01	1138				
53	91.18	8.82	1189				
54	100	0	1106				
55	100	0	1103				
56	100	0	1224				
57	100	0	1220				
58	100	0	1181				
59	100	0	1195				
60	100	0	1216				
61	100	0	1132				
62	100	0	1140				
63	100	0	1303				
64	100	0	1278				
65	100	0	1214				
66	100	0	1205				
67	100	0	1197				
68	100	0	1141				
69	100	0	1127				
70	100	0	1152				
71	99.17	0.83	1151				
72	100	0	1133				
73	100	0	1111				
74	98.54	1.46	1118				
75	90.9	9.1	1107				

76	100	0	1094				
77	100	0	1169				
78	100	0	1160				
79	100	0	1140				
80	100	0	1138				
81	100	0	1192				
82	100	0	1123				
83	100	0	1103				
84	100	0	1194				
85	100	0	1239				
86	100	0	1099				
87	100	0	1104				
88	71.11	28.89	1173				
89	100	0	1090				
90	100	0	1064				
91	100	0	1158				
92	100	0	1176				

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Mobile Banking					
Availability statistics			Performance statistics				
Day	B		Payment services user interface	Dedicated interface			
	Interface type	Has exemption been granted for dedicated interface?		PISP response (milliseconds)	AISP response (milliseconds)	CBP/II response (milliseconds)	Error response rate (%)
	C						
	Uptime (%)	Downtime (%)	Response (milliseconds)				
	D	E	F	G	H	I	J
1	100	0	0				
2	100	0	0				
3	100	0	0				
4	100	0	0				
5	100	0	0				
6	100	0	0				
7	100	0	0				
8	98.89	1.11	0				
9	97.29	2.71	0				
10	100	0	0				
11	100	0	0				
12	100	0	0				
13	100	0	0				
14	100	0	0				
15	100	0	0				
16	100	0	0				
17	100	0	0				
18	100	0	0				
19	100	0	0				
20	100	0	0				
21	98.19	1.81	0				
22	95.62	4.38	0				
23	100	0	0				
24	100	0	0				
25	100	0	0				
26	100	0	0				
27	98.96	1.04	0				
28	100	0	0				
29	100	0	0				
30	100	0	0				
31	100	0	703				
32	100	0	1106				
33	93.68	6.32	828				
34	100	0	2344				
35	100	0	708				
36	100	0	1212				
37	100	0	898				
38	100	0	730				
39	100	0	605				
40	100	0	491				
41	100	0	437				
42	100	0	631				
43	97.15	2.85	1193				
44	100	0	1291				
45	100	0	1309				
46	100	0	1299				
47	92.01	7.99	1250				
48	100	0	1278				
49	100	0	1348				
50	94.79	5.21	1308				
51	100	0	1305				
52	100	0	1302				
53	93.75	6.25	1425				
54	100	0	1299				
55	100	0	1276				
56	97.78	2.22	1447				
57	95.28	4.72	1518				
58	100	0	1507				
59	100	0	1445				
60	100	0	1476				
61	100	0	1342				
62	100	0	1321				
63	100	0	1521				
64	100	0	1565				
65	100	0	1487				
66	100	0	1473				
67	100	0	1457				
68	100	0	1364				
69	100	0	1257				
70	100	0	1271				
71	99.17	0.83	1303				
72	100	0	1274				
73	100	0	1247				
74	100	0	1262				
75	92.85	7.15	1232				

76	100	0	1209				
77	100	0	1307				
78	100	0	1345				
79	100	0	1322				
80	100	0	1324				
81	100	0	1392				
82	100	0	1287				
83	100	0	1222				
84	100	0	1371				
85	100	0	1334				
86	100	0	1087				
87	100	0	1229				
88	71.04	28.96	1428				
89	100	0	1293				
90	100	0	1250				
91	100	0	1358				
92	100	0	1423				