

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Interface Name/Id		Availability statistics		Payment services user interface	Performance statistics			
Interface type		Dedicated interface			Dedicated interface			
Has exemption been granted for dedicated interface?		Yes		Response (millisecs)	AISP response (millisecs)	PISP response (millisecs)	CBP11 response (millisecs)	Error response rate (%)
Day	Uptime (%)	Downtime (%)	F					
1	100	0			1067	350	0	1.01
2	100	0			1054	360	0	1.07
3	100	0			873	315	0	1.12
4	100	0			1147	288	0	0.98
5	100	0			2031	903	0	0.72
6	100	0			1063	338	0	0.94
7	100	0			1607	631	0	1.7
8	100	0			1165	375	0	1.06
9	100	0			1055	348	0	1.1
10	81.6	18.4			1148	319	0	2.67
11	100	0			1110	335	0	1.1
12	94.1	5.9			1066	323	0	4.39
13	100	0			1227	336	0	1.15
14	100	0			2093	317	0	1.29
15	100	0			1006	276	0	1.26
16	100	0			994	287	0	1.3
17	100	0			912	292	0	1.38
18	100	0			958	280	0	1.24
19	100	0			995	298	0	1.26
20	100	0			1000	311	0	1.28
21	100	0			1029	364	0	1.03
22	100	0			1157	425	0	0.49
23	100	0			1067	341	0	0.6
24	100	0			1081	365	0	0.61
25	99.65	0.35			1190	380	0	0.48
26	100	0			1320	381	0	0.47
27	100	0			1197	424	0	0.54
28	100	0			1359	954	0	0.35
29	100	0			1163	334	0	0.21
30	100	0			1080	334	0	0.2
31	100	0			1058	319	0	0.25
32	100	0			1105	329	0	0.18
33	100	0			1149	403	0	0.55
34	100	0			1129	336	0	0.2
35	100	0			1413	326	0	0.15
36	100	0			1156	340	0	0.17
37	100	0			1114	375	0	0.22
38	100	0			1083	382	0	0.2
39	100	0			2377	1656	0	0.13
40	97.92	2.08			1141	383	0	1.08
41	100	0			1147	352	0	0.22
42	100	0			1142	382	0	0.19
43	100	0			1123	350	0	0.15
44	93.75	6.25			1051	367	0	7.32
45	100	0			1279	1608	0	0.22
46	98.06	1.94			1126	542	0	0.21
47	91.53	8.47			1227	445	0	0.22
48	100	0			1189	385	0	0.12
49	100	0			1172	485	0	0.15
50	100	0			1163	416	0	0.14
51	100	0			1176	453	0	0.15
52	88.54	11.46			1381	398	0	3.87
53	100	0			1165	482	0	0.14
54	100	0			1249	416	0	0.16
55	100	0			1180	467	0	0.15
56	100	0			1168	417	0	0.11
57	100	0			1236	432	0	0.1
58	100	0			1120	425	0	0.1
59	100	0			1100	447	0	0.09
60	98.75	1.25			1613	560	0	1.89
61	100	0			985	323	0	0.17
62	100	0			978	312	0	0.42
63	100	0			940	317	0	0.29
64	100	0			937	375	0	0.39
65	100	0			956	338	0	0.37

66	84.65	15.35		1229	330	0	3.89
67	100	0		1026	340	0	0.3
68	96.94	3.06		5621	1397	0	9.37
69	98.06	1.94		1245	656	0	0.65
70	90.14	9.86		1800	962	0	2.04
71	100	0		1669	1010	0	1.6
72	100	0		1001	372	0	0.28
73	72.99	27.01		1348	394	0	9.64
74	100	0		1232	638	0	0.44
75	100	0		1204	511	0	0.35
76	100	0		1093	465	0	0.49
77	100	0		1141	505	0	0.36
78	100	0		1290	606	0	0.39
79	100	0		1201	422	0	0.4
80	100	0		1072	411	0	0.5
81	100	0		1075	438	0	0.35
82	100	0		1103	425	0	0.25
83	100	0		1089	444	0	0.25
84	100	0		1045	356	0	0.07
85	100	0		1053	345	0	0.2
86	100	0		1020	326	0	0.06
87	100	0		976	328	0	0.05
88	100	0		1054	342	0	0.01
89	100	0		1063	343	0	0.03
90	100	0		1046	343	0	0.01
91	100	0		1059	355	0	0.01
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id							
Tesco Bank Online Banking							
Availability statistics				Performance statistics			
B			Payment services user interface	Dedicated interface			
Interface type							
C			Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
Has exemption been granted for dedicated interface?							
Day	Uptime (%)	Downtime (%)					
	D	E	F	G	H	I	J
1	100	0	778				
2	100	0	760				
3	100	0	654				
4	100	0	690				
5	100	0	675				
6	100	0	689				
7	100	0	844				
8	100	0	713				
9	100	0	673				
10	81.6	18.4	643				
11	100	0	687				
12	94.1	5.9	686				
13	100	0	688				
14	100	0	667				
15	100	0	651				
16	100	0	661				
17	100	0	635				
18	100	0	655				
19	98.4	1.6	694				
20	93.75	6.25	684				
21	89.79	10.21	692				
22	100	0	784				
23	100	0	814				
24	100	0	773				
25	100	0	763				
26	100	0	729				
27	100	0	773				
28	99.72	0.28	737				
29	100	0	729				
30	100	0	671				
31	100	0	664				
32	100	0	696				
33	100	0	731				
34	100	0	703				
35	100	0	700				
36	100	0	705				
37	100	0	685				
38	100	0	666				
39	100	0	719				
40	97.92	2.08	683				
41	100	0	664				
42	100	0	651				
43	100	0	676				
44	93.75	6.25	661				
45	100	0	659				
46	98.06	1.94	688				
47	91.53	8.47	706				
48	100	0	680				
49	100	0	685				
50	100	0	703				
51	100	0	682				
52	88.54	11.46	636				
53	100	0	687				
54	100	0	701				
55	100	0	707				
56	100	0	700				
57	100	0	719				
58	100	0	676				
59	100	0	664				
60	98.75	1.25	742				
61	100	0	698				
62	100	0	679				
63	100	0	624				
64	95.14	4.86	640				
65	100	0	648				

66	84.65	15.35	637				
67	100	0	680				
68	96.94	3.06	683				
69	98.06	1.94	707				
70	90.14	9.86	654				
71	100	0	663				
72	100	0	656				
73	72.99	27.01	671				
74	100	0	802				
75	100	0	783				
76	100	0	726				
77	100	0	741				
78	100	0	833				
79	100	0	800				
80	100	0	692				
81	100	0	724				
82	100	0	722				
83	100	0	719				
84	100	0	757				
85	100	0	817				
86	100	0	788				
87	100	0	748				
88	100	0	797				
89	100	0	825				
90	100	0	806				
91	100	0	811				
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id							
Tesco Bank Mobile Banking							
Availability statistics				Performance statistics			
B			Payment services user interface	Dedicated interface			
C							
Interface type			Response (millisecs)	PISP response (millisecs)	AISP response (millisecs)	CBPII response (millisecs)	Error response rate (%)
Has exemption been granted for dedicated interface?							
Day	Uptime (%)	Downtime (%)					
	D	E	F	G	H	I	J
1	100	0	1195				
2	100	0	1136				
3	100	0	1071				
4	100	0	1165				
5	100	0	1201				
6	100	0	1191				
7	100	0	1162				
8	100	0	1129				
9	100	0	1102				
10	96.18	3.82	1051				
11	100	0	1022				
12	100	0	1060				
13	100	0	1058				
14	100	0	1087				
15	100	0	1019				
16	100	0	993				
17	100	0	967				
18	100	0	997				
19	100	0	1122				
20	100	0	1121				
21	100	0	1102				
22	100	0	1128				
23	100	0	1072				
24	100	0	1030				
25	100	0	1129				
26	100	0	1178				
27	100	0	1169				
28	98.13	1.87	1310				
29	99.44	0.56	1329				
30	100	0	1095				
31	100	0	1063				
32	100	0	1090				
33	100	0	1262				
34	100	0	1228				
35	100	0	1200				
36	100	0	1182				
37	100	0	1140				
38	100	0	1058				
39	100	0	1093				
40	100	0	1156				
41	100	0	1095				
42	100	0	1066				
43	100	0	1093				
44	98.47	1.53	1056				
45	98.13	1.87	1028				
46	94.79	5.21	1111				
47	91.46	8.54	1159				
48	100	0	1119				
49	100	0	1134				
50	100	0	1134				
51	100	0	1077				
52	99.65	0.35	1040				
53	100	0	1122				
54	100	0	1188				
55	100	0	1185				
56	100	0	1169				
57	100	0	1192				
58	100	0	1089				
59	100	0	1048				
60	98.75	1.25	1201				
61	100	0	1603				
62	100	0	1301				
63	100	0	1145				
64	100	0	1123				
65	100	0	1129				

66	89.58	10.42	1161				
67	100	0	1272				
68	96.94	3.06	6134				
69	98.13	1.87	1270				
70	90.07	9.93	1182				
71	100	0	1191				
72	100	0	1180				
73	72.71	27.29	1056				
74	100	0	1105				
75	100	0	1269				
76	100	0	1264				
77	100	0	1215				
78	100	0	1247				
79	100	0	1204				
80	100	0	1129				
81	100	0	1243				
82	100	0	1322				
83	100	0	1269				
84	100	0	1338				
85	100	0	1522				
86	100	0	1229				
87	100	0	1191				
88	100	0	1336				
89	100	0	1494				
90	100	0	1355				
91	100	0	1345				
92							