

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No
----

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Interface Name/Id		Availability statistics		Performance statistics			
Interface type		Payment services user interface		Dedicated interface			
Has exemption been granted for dedicated interface?		Response (milliseconds)		AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
Day	Uptime (%)	Downtime (%)	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00		839	506	0	0.01
2	100.00	0.00		793	961	0	0.01
3	100.00	0.00		844	2804	0	0.01
4	100.00	0.00		845	522	0	0.01
5	100.00	0.00		787	542	0	0.01
6	100.00	0.00		750	472	0	0.01
7	100.00	0.00		734	477	0	0
8	100.00	0.00		768	470	0	0.01
9	100.00	0.00		815	491	0	0.13
10	100.00	0.00		1896	448	0	2.72
11	100.00	0.00		710	496	0	0.02
12	100.00	0.00		713	441	0	0.01
13	100.00	0.00		683	463	0	0.01
14	79.51	20.49		745	469	0	0.76
15	100.00	0.00		702	469	0	0.01
16	100.00	0.00		713	440	0	0.01
17	100.00	0.00		703	470	0	0
18	100.00	0.00		709	468	0	0.01
19	100.00	0.00		1381	467	0	0.8
20	100.00	0.00		704	462	0	0.01
21	100.00	0.00		681	464	0	0
22	100.00	0.00		756	496	0	0.13
23	100.00	0.00		782	497	0	0.07
24	100.00	0.00		760	602	0	0.13
25	100.00	0.00		784	497	0	0.17
26	100.00	0.00		761	450	0	0
27	100.00	0.00		706	499	0	0.01
28	100.00	0.00		691	495	0	0
29	100.00	0.00		753	528	0	0
30	100.00	0.00		789	507	0	0
31	100.00	0.00		740	475	0	0.01
32	100.00	0.00		759	550	0	0
33	100.00	0.00		714	476	0	0.01
34	100.00	0.00		698	477	0	0.01
35	100.00	0.00		736	470	0	0
36	100.00	0.00		742	467	0	0.11
37	98.75	1.25		723	483	0	0.01
38	86.74	13.26		715	422	0	1.55
39	100.00	0.00		723	448	0	0.02
40	100.00	0.00		712	474	0	0
41	100.00	0.00		791	607	0	0
42	81.25	18.75		2039	1140	0	4.16
43	100.00	0.00		673	422	0	0.01
44	100.00	0.00		668	444	0	0.01
45	100.00	0.00		676	458	0	0.47
46	100.00	0.00		664	462	0	0
47	100.00	0.00		662	437	0	0
48	100.00	0.00		643	428	0	0
49	100.00	0.00		641	375	0	0.02
50	100.00	0.00		662	429	0	0.01
51	100.00	0.00		653	411	0	0
52	100.00	0.00		684	519	0	0.26
53	100.00	0.00		667	411	0	0.07
54	100.00	0.00		648	455	0	0.01
55	100.00	0.00		630	423	0	0
56	100.00	0.00		622	436	0	0.01
57	100.00	0.00		638	439	0	0
58	100.00	0.00		687	490	0	0.1
59	100.00	0.00		659	466	0	0
60	100.00	0.00		651	460	0	0
61	100.00	0.00		657	431	0	0
62	100.00	0.00		632	440	0	0
63	100.00	0.00		639	446	0	0.15
64	100.00	0.00		674	432	0	0
65	98.61	1.39		665	438	0	0.02
66	86.81	13.19		659	455	0	8.38
67	97.57	2.43		688	448	0	0.29
68	100.00	0.00		657	442	0	0
69	100.00	0.00		643	441	0	0
70	100.00	0.00		636	463	0	0
71	100.00	0.00		657	438	0	0.01
72	100.00	0.00		708	488	0	0.16
73	100.00	0.00		666	450	0	9.45

74	100.00	0.00		747	464	0	0
75	100.00	0.00		656	436	0	0
76	91.67	8.33		807	449	0	1.7
77	78.13	21.88		669	402	0	0.11
78	100.00	0.00		670	455	0	0
79	97.92	2.08		629	409	0	0.02
80	90.69	9.31		729	555	0	6.07
81	93.82	6.18		667	767	0	0.68
82	97.08	2.92		588	397	0	0.03
83	100.00	0.00		571	372	0	0
84	100.00	0.00		558	384	0	9.7
85	100.00	0.00		675	419	0	0.01
86	100.00	0.00		643	415	0	0.04
87	100.00	0.00		619	447	0	0.01
88	100.00	0.00		611	381	0	0.01
89	100.00	0.00		585	373	0	0.02
90	100.00	0.00		545	366	0	0.01
91	100.00	0.00		543	353	0	0.02
92	100.00	0.00		599	379	0	0.01

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id							
Tesco Bank Online Banking							
Availability statistics			Performance statistics				
Day	B		Payment services user interface	Dedicated interface			
	Interface type	Has exemption been granted for dedicated interface?		PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
	C						
	Uptime (%)	Downtime (%)	Response (milliseconds)				
	D	E	F	G	H	I	J
1	100.00	0.00	697				
2	100.00	0.00	648				
3	100.00	0.00	661				
4	100.00	0.00	706				
5	100.00	0.00	806				
6	100.00	0.00	617				
7	100.00	0.00	587				
8	100.00	0.00	701				
9	100.00	0.00	623				
10	94.58	5.42	954				
11	100.00	0.00	552				
12	100.00	0.00	564				
13	100.00	0.00	558				
14	79.51	20.49	535				
15	100.00	0.00	573				
16	100.00	0.00	566				
17	100.00	0.00	514				
18	100.00	0.00	557				
19	97.50	2.50	1207				
20	100.00	0.00	551				
21	100.00	0.00	535				
22	96.32	3.68	610				
23	97.50	2.50	593				
24	100.00	0.00	620				
25	100.00	0.00	661				
26	100.00	0.00	760				
27	100.00	0.00	883				
28	100.00	0.00	588				
29	100.00	0.00	639				
30	100.00	0.00	627				
31	100.00	0.00	617				
32	100.00	0.00	640				
33	100.00	0.00	585				
34	100.00	0.00	587				
35	100.00	0.00	571				
36	100.00	0.00	623				
37	98.75	1.25	608				
38	86.74	13.26	591				
39	100.00	0.00	765				
40	100.00	0.00	612				
41	100.00	0.00	603				
42	81.25	18.75	926				
43	100.00	0.00	581				
44	100.00	0.00	570				
45	100.00	0.00	584				
46	100.00	0.00	769				
47	100.00	0.00	888				
48	100.00	0.00	539				
49	100.00	0.00	544				
50	100.00	0.00	569				
51	100.00	0.00	628				
52	100.00	0.00	766				
53	100.00	0.00	580				
54	100.00	0.00	617				
55	100.00	0.00	761				
56	100.00	0.00	543				
57	100.00	0.00	547				
58	100.00	0.00	597				
59	100.00	0.00	579				
60	100.00	0.00	569				
61	100.00	0.00	576				
62	100.00	0.00	597				
63	100.00	0.00	903				
64	100.00	0.00	890				
65	98.61	1.39	617				
66	86.81	13.19	586				
67	97.57	2.43	627				
68	100.00	0.00	563				
69	100.00	0.00	542				
70	100.00	0.00	536				
71	100.00	0.00	572				
72	100.00	0.00	589				
73	100.00	0.00	532				
74	100.00	0.00	559				
75	100.00	0.00	562				

76	91.67	8.33	540				
77	78.13	21.88	543				
78	100.00	0.00	577				
79	97.92	2.08	563				
80	86.67	13.33	535				
81	92.43	7.57	570				
82	97.08	2.92	544				
83	100.00	0.00	526				
84	100.00	0.00	495				
85	100.00	0.00	551				
86	100.00	0.00	701				
87	100.00	0.00	675				
88	100.00	0.00	538				
89	100.00	0.00	587				
90	100.00	0.00	531				
91	100.00	0.00	493				
92	100.00	0.00	582				

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No
----

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Interface Name/Id		Availability statistics		Performance statistics			
Interface type		Payment services user interface		Dedicated interface			
Has exemption been granted for dedicated interface?		Response (milliseconds)		PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
Day	Uptime (%)	Downtime (%)	Response (milliseconds)	G	H	I	J
1	100.00	0.00	1444				
2	100.00	0.00	1419				
3	100.00	0.00	1355				
4	100.00	0.00	1343				
5	100.00	0.00	1326				
6	100.00	0.00	1302				
7	100.00	0.00	1325				
8	100.00	0.00	1421				
9	100.00	0.00	1491				
10	94.58	5.42	1367				
11	100.00	0.00	1368				
12	100.00	0.00	1380				
13	100.00	0.00	1374				
14	100.00	0.00	1279				
15	100.00	0.00	1198				
16	100.00	0.00	1216				
17	100.00	0.00	1187				
18	100.00	0.00	1202				
19	97.50	2.50	1224				
20	100.00	0.00	1169				
21	100.00	0.00	1144				
22	96.67	3.33	1251				
23	97.50	2.50	1290				
24	100.00	0.00	1223				
25	100.00	0.00	1248				
26	100.00	0.00	1239				
27	100.00	0.00	1224				
28	100.00	0.00	1200				
29	100.00	0.00	1337				
30	100.00	0.00	1356				
31	100.00	0.00	1302				
32	100.00	0.00	1323				
33	100.00	0.00	1306				
34	100.00	0.00	1274				
35	100.00	0.00	1287				
36	100.00	0.00	1361				
37	98.40	1.60	1375				
38	86.81	13.19	1405				
39	100.00	0.00	1330				
40	100.00	0.00	1326				
41	100.00	0.00	1318				
42	75.69	24.31	1404				
43	100.00	0.00	1226				
44	100.00	0.00	1250				
45	100.00	0.00	1239				
46	100.00	0.00	1208				
47	100.00	0.00	1218				
48	100.00	0.00	1203				
49	90.28	9.72	1210				
50	100.00	0.00	1250				
51	100.00	0.00	1285				
52	100.00	0.00	1264				
53	100.00	0.00	1258				
54	100.00	0.00	1273				
55	100.00	0.00	1257				
56	93.26	6.74	1233				
57	100.00	0.00	1291				
58	100.00	0.00	1361				
59	100.00	0.00	1339				
60	100.00	0.00	1323				
61	100.00	0.00	1354				
62	100.00	0.00	1324				
63	100.00	0.00	1322				
64	100.00	0.00	1415				
65	99.58	0.42	1446				
66	86.39	13.61	1468				
67	97.57	2.43	1450				
68	100.00	0.00	1402				
69	100.00	0.00	1362				
70	100.00	0.00	1308				
71	100.00	0.00	1246				
72	98.54	1.46	1287				
73	88.82	11.18	1268				

74	100.00	0.00	1253				
75	100.00	0.00	1235				
76	100.00	0.00	1250				
77	100.00	0.00	1170				
78	100.00	0.00	1289				
79	98.19	1.81	1312				
80	90.69	9.31	1314				
81	93.68	6.32	1342				
82	97.22	2.78	1328				
83	100.00	0.00	1479				
84	100.00	0.00	1245				
85	66.74	33.26	1395				
86	100.00	0.00	1311				
87	100.00	0.00	1404				
88	100.00	0.00	1343				
89	100.00	0.00	1563				
90	100.00	0.00	1505				
91	100.00	0.00	1534				
92	100.00	0.00	1933				