

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A								
Interface Name/Id		Tesco Bank Open Banking API						
Day	Availability statistics		Performance statistics					
	Interface type	B	Payment services user interface	Dedicated interface				
		Dedicated Interface						
		C						
	Has exemption been granted for dedicated interface?							
	Yes							
Uptime (%)	Downtime (%)	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPIL response (milliseconds)	Error response rate (%)		
D	E	F	G	H	I	J		
1	100.00	0.00		670	473	0	0.13	
2	98.96	1.04		612	386	0	0.02	
3	94.58	5.42		570	350	0	0	
4	100.00	0.00		572	352	0	0.01	
5	100.00	0.00		561	327	0	0	
6	100.00	0.00		571	328	0	0	
7	100.00	0.00		587	369	0	0.01	
8	100.00	0.00		584	328	0	0.03	
9	100.00	0.00		601	439	0	0.18	
10	100.00	0.00		581	328	0	0.01	
11	100.00	0.00		583	407	0	0.03	
12	80.62	19.38		720	350	0	1.38	
13	95.83	4.17		594	377	0	0	
14	99.65	0.35		781	409	0	0.8	
15	100.00	0.00		606	381	0	0.08	
16	100.00	0.00		598	382	0	0	
17	100.00	0.00		625	395	0	0.06	
18	98.61	1.39		619	393	0	2.49	
19	92.85	7.15		597	406	0	0.6	
20	100.00	0.00		621	358	0	0.02	
21	100.00	0.00		628	356	0	0.02	
22	100.00	0.00		622	403	0	0.05	
23	100.00	0.00		614	479	0	0	
24	100.00	0.00		628	380	0	0	
25	100.00	0.00		621	370	0	0	
26	100.00	0.00		609	386	0	0.01	
27	100.00	0.00		617	416	0	0	
28	100.00	0.00		615	377	0	0	
29	100.00	0.00		638	386	0	0.39	
30	100.00	0.00		564	315	0	0.1	
31	100.00	0.00		553	316	0	0.01	
32	100.00	0.00		538	296	0	0	
33	100.00	0.00		542	329	0	0	
34	100.00	0.00		550	310	0	0.02	
35	100.00	0.00		556	304	0	2.56	
36	100.00	0.00		556	320	0	0	
37	100.00	0.00		570	334	0	0.19	
38	100.00	0.00		548	331	0	0	
39	100.00	0.00		554	331	0	0	
40	100.00	0.00		547	313	0	0	
41	100.00	0.00		561	275	0	0	
42	100.00	0.00		563	239	0	0	
43	100.00	0.00		566	271	0	0	
44	100.00	0.00		564	266	0	0.06	
45	100.00	0.00		557	273	0	0	
46	100.00	0.00		561	290	0	0	
47	79.17	20.83		613	284	0	0.87	
48	100.00	0.00		562	258	0	0	
49	100.00	0.00		569	273	0	0	
50	100.00	0.00		559	397	0	0	
51	100.00	0.00		573	386	0	0.02	
52	100.00	0.00		578	360	0	0	
53	100.00	0.00		576	369	0	0	
54	100.00	0.00		603	366	0	0.09	
55	100.00	0.00		589	375	0	0	
56	100.00	0.00		606	371	0	0	
57	100.00	0.00		600	379	0	0.06	
58	100.00	0.00		583	376	0	0.07	
59	100.00	0.00		582	323	0	0	
60	100.00	0.00		572	357	0	0	
61	100.00	0.00		565	349	0	0	
62	100.00	0.00		581	348	0	0	
63	100.00	0.00		588	373	0	0.04	
64	100.00	0.00		580	378	0	0	
65	100.00	0.00		567	350	0	0	
66	100.00	0.00		582	365	0	0.05	
67	100.00	0.00		577	354	0	0	
68	79.51	20.49		1128	370	0	1.16	
69	100.00	0.00		575	361	0	0.01	
70	100.00	0.00		577	355	0	0.25	
71	98.26	1.74		567	362	0	0	
72	95.14	4.86		576	353	0	0.08	
73	100.00	0.00		574	330	0	0.02	

74	95.97	4.03		563	334	0	0
75	69.58	30.42		561	347	0	0.01
76	100.00	0.00		576	358	0	0
77	96.67	3.33		576	345	0	0
78	70.49	29.51		572	339	0	0.01
79	99.93	0.07		569	343	0	0
80	100.00	0.00		575	349	0	0
81	96.67	3.33		572	364	0	0
82	80.69	19.31		561	365	0	0
83	79.10	20.90		571	360	0	1.46
84	100.00	0.00		580	363	0	0
85	100.00	0.00		583	365	0	0.02
86	100.00	0.00		610	383	0	0.84
87	99.65	0.35		598	344	0	0.04
88	91.18	8.82		581	371	0	0
89	89.24	10.76		831	355	0	2.24
90	100.00	0.00		581	345	0	0.16
91	100.00	0.00		574	326	0	0.01
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Online Banking					
Day	Availability statistics		Payment services user interface	Performance statistics			
	Interface type	B		Dedicated interface			
		PSU Interface					
		C					
	Has exemption been granted for dedicated interface?		Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
	Uptime (%)	Downtime (%)					
	D	E	F	G	H	I	J
1	100.00	0.00	510				
2	98.96	1.04	489				
3	94.58	5.42	505				
4	100.00	0.00	467				
5	100.00	0.00	449				
6	100.00	0.00	459				
7	100.00	0.00	464				
8	100.00	0.00	465				
9	96.53	3.47	459				
10	94.65	5.35	453				
11	100.00	0.00	449				
12	80.62	19.38	469				
13	95.83	4.17	490				
14	99.65	0.35	510				
15	100.00	0.00	484				
16	100.00	0.00	474				
17	100.00	0.00	486				
18	98.61	1.39	536				
19	92.85	7.15	474				
20	95.83	4.17	492				
21	92.57	7.43	493				
22	100.00	0.00	495				
23	100.00	0.00	499				
24	100.00	0.00	499				
25	100.00	0.00	487				
26	100.00	0.00	496				
27	100.00	0.00	508				
28	100.00	0.00	502				
29	98.12	1.88	494				
30	100.00	0.00	490				
31	100.00	0.00	477				
32	100.00	0.00	449				
33	100.00	0.00	449				
34	100.00	0.00	459				
35	100.00	0.00	470				
36	100.00	0.00	469				
37	100.00	0.00	468				
38	100.00	0.00	473				
39	100.00	0.00	496				
40	100.00	0.00	458				
41	100.00	0.00	473				
42	100.00	0.00	473				
43	100.00	0.00	465				
44	100.00	0.00	491				
45	100.00	0.00	472				
46	100.00	0.00	465				
47	79.17	20.83	468				
48	100.00	0.00	469				
49	100.00	0.00	487				
50	100.00	0.00	477				
51	100.00	0.00	484				
52	100.00	0.00	493				
53	100.00	0.00	549				
54	100.00	0.00	513				
55	100.00	0.00	493				
56	100.00	0.00	516				
57	100.00	0.00	512				
58	100.00	0.00	500				
59	100.00	0.00	498				
60	100.00	0.00	485				
61	100.00	0.00	473				
62	100.00	0.00	484				
63	100.00	0.00	481				
64	100.00	0.00	460				
65	100.00	0.00	468				
66	100.00	0.00	489				
67	100.00	0.00	469				
68	79.51	20.49	469				
69	100.00	0.00	476				
70	97.85	2.15	495				
71	98.26	1.74	487				
72	95.14	4.86	470				
73	100.00	0.00	483				
74	100.00	0.00	470				
75	100.00	0.00	467				

76	100.00	0.00	480				
77	100.00	0.00	478				
78	98.68	1.32	476				
79	99.93	0.07	470				
80	100.00	0.00	494				
81	100.00	0.00	479				
82	100.00	0.00	565				
83	79.10	20.90	499				
84	100.00	0.00	499				
85	100.00	0.00	499				
86	100.00	0.00	506				
87	99.65	0.35	505				
88	91.18	8.82	481				
89	89.24	10.76	541				
90	100.00	0.00	521				
91	100.00	0.00	496				
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Mobile Banking					
Day	Availability statistics		Payment services user interface	Performance statistics			
	Interface type	B		Dedicated interface			
		PSU Interface					
		C					
	Has exemption been granted for dedicated interface?	Yes	Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
	Uptime (%)	Downtime (%)					
	D	E	F	G	H	I	J
1	100.00	0.00	517				
2	98.96	1.04	510				
3	94.58	5.42	474				
4	100.00	0.00	466				
5	100.00	0.00	442				
6	100.00	0.00	464				
7	100.00	0.00	503				
8	100.00	0.00	497				
9	96.67	3.33	509				
10	94.58	5.42	511				
11	100.00	0.00	479				
12	80.62	19.38	475				
13	95.83	4.17	468				
14	99.65	0.35	474				
15	100.00	0.00	501				
16	100.00	0.00	472				
17	100.00	0.00	488				
18	98.75	1.25	458				
19	92.92	7.08	446				
20	95.97	4.03	484				
21	92.57	7.43	480				
22	100.00	0.00	467				
23	100.00	0.00	473				
24	100.00	0.00	497				
25	100.00	0.00	451				
26	100.00	0.00	440				
27	100.00	0.00	479				
28	100.00	0.00	490				
29	100.00	0.00	473				
30	100.00	0.00	501				
31	100.00	0.00	495				
32	100.00	0.00	458				
33	100.00	0.00	443				
34	100.00	0.00	460				
35	100.00	0.00	481				
36	100.00	0.00	467				
37	100.00	0.00	485				
38	100.00	0.00	464				
39	100.00	0.00	447				
40	100.00	0.00	434				
41	100.00	0.00	451				
42	100.00	0.00	456				
43	100.00	0.00	455				
44	100.00	0.00	450				
45	100.00	0.00	462				
46	100.00	0.00	441				
47	79.17	20.83	437				
48	100.00	0.00	452				
49	100.00	0.00	466				
50	100.00	0.00	449				
51	100.00	0.00	457				
52	100.00	0.00	474				
53	100.00	0.00	444				
54	86.67	13.33	432				
55	100.00	0.00	441				
56	100.00	0.00	462				
57	100.00	0.00	471				
58	100.00	0.00	497				
59	100.00	0.00	507				
60	100.00	0.00	473				
61	100.00	0.00	457				
62	100.00	0.00	489				
63	100.00	0.00	468				
64	100.00	0.00	462				
65	100.00	0.00	475				
66	100.00	0.00	472				
67	100.00	0.00	455				
68	79.51	20.49	461				
69	100.00	0.00	467				
70	97.92	2.08	465				
71	98.40	1.60	482				
72	95.00	5.00	605				
73	100.00	0.00	604				

74	95.97	4.03	579				
75	69.58	30.42	570				
76	100.00	0.00	575				
77	96.67	3.33	569				
78	66.18	33.82	588				
79	99.17	0.83	580				
80	100.00	0.00	594				
81	96.67	3.33	573				
82	80.69	19.31	569				
83	79.17	20.83	581				
84	100.00	0.00	582				
85	100.00	0.00	589				
86	100.00	0.00	601				
87	99.44	0.56	604				
88	91.18	8.82	563				
89	89.24	10.76	557				
90	96.32	3.68	577				
91	81.81	18.19	594				
92							