

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Open Banking API					
Day	Availability statistics		Performance statistics				
	Interface type	B	Payment services user interface	Dedicated interface			
		Dedicated Interface					
		C					
	Has exemption been granted for dedicated interface?						
	Yes						
Uptime (%)	Downtime (%)	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPIL response (milliseconds)	Error response rate (%)	
D	E	F	G	H	I	J	
1	98.12	1.88		1203	596	0	1.22
2	100.00	0.00		573	368	0	0
3	100.00	0.00		574	374	0	0.01
4	100.00	0.00		568	340	0	0.02
5	79.17	20.83		1117	335	0	1.95
6	100.00	0.00		580	353	0	0.14
7	100.00	0.00		571	338	0	2.22
8	100.00	0.00		579	359	0	0.02
9	100.00	0.00		579	342	0	0.01
10	100.00	0.00		599	386	0	0
11	100.00	0.00		616	366	0	0.01
12	100.00	0.00		579	385	0	0
13	100.00	0.00		686	396	0	0.15
14	100.00	0.00		640	396	0	0
15	100.00	0.00		721	473	0	0.13
16	100.00	0.00		608	405	0	0
17	100.00	0.00		619	409	0	0.06
18	100.00	0.00		604	352	0	0
19	90.21	9.79		1124	349	0	1.82
20	100.00	0.00		614	367	0	0.01
21	100.00	0.00		617	367	0	0
22	100.00	0.00		616	370	0	0
23	100.00	0.00		625	375	0	0
24	100.00	0.00		621	365	0	0
25	100.00	0.00		611	373	0	0
26	95.83	4.17		679	382	0	0.56
27	100.00	0.00		629	394	0	0.01
28	100.00	0.00		643	392	0	0.01
29	100.00	0.00		623	371	0	0.01
30	100.00	0.00		607	388	0	0.16
31	100.00	0.00		578	393	0	0.05
32	100.00	0.00		568	347	0	0
33	100.00	0.00		568	342	0	0
34	100.00	0.00		584	379	0	0
35	100.00	0.00		626	371	0	0.1
36	100.00	0.00		759	445	0	1.55
37	100.00	0.00		589	352	0	0.02
38	100.00	0.00		594	355	0	0.11
39	100.00	0.00		573	371	0	0
40	80.56	19.44		623	359	0	0.54
41	100.00	0.00		596	373	0	0.01
42	100.00	0.00		600	372	0	0.08
43	100.00	0.00		593	389	0	0
44	100.00	0.00		617	373	0	0.17
45	100.00	0.00		612	369	0	0.11
46	100.00	0.00		598	406	0	0
47	100.00	0.00		639	355	0	0.11
48	100.00	0.00		608	365	0	0.01
49	100.00	0.00		630	362	0	0.28
50	100.00	0.00		627	359	0	0.01
51	100.00	0.00		623	401	0	0.01
52	100.00	0.00		625	379	0	0.01
53	100.00	0.00		612	366	0	0
54	100.00	0.00		609	359	0	0
55	100.00	0.00		626	366	0	0
56	100.00	0.00		652	405	0	0.15
57	100.00	0.00		605	381	0	0.02
58	100.00	0.00		577	348	0	0
59	100.00	0.00		588	364	0	0.01
60	100.00	0.00		567	321	0	0
61	100.00	0.00		563	354	0	0
62	100.00	0.00		590	376	0	0
63	100.00	0.00		602	429	0	0.25
64	100.00	0.00		574	351	0	0
65	100.00	0.00		583	341	0	0
66	100.00	0.00		635	337	0	0
67	100.00	0.00		581	333	0	0.01
68	83.96	16.04		618	337	0	0.48
69	100.00	0.00		593	345	0	0.01
70	100.00	0.00		617	379	0	0.19
71	100.00	0.00		624	382	0	0.06
72	100.00	0.00		627	364	0	0
73	100.00	0.00		629	367	0	0

74	100.00	0.00		622	364	0	0
75	100.00	0.00		618	372	0	0
76	100.00	0.00		632	400	0	0.01
77	100.00	0.00		633	368	0	0
78	100.00	0.00		629	376	0	0
79	100.00	0.00		639	391	0	0.01
80	100.00	0.00		645	320	0	0
81	100.00	0.00		627	291	0	0.01
82	100.00	0.00		620	286	0	0
83	100.00	0.00		643	320	0	0.01
84	100.00	0.00		656	320	0	0.02
85	100.00	0.00		648	300	0	0.01
86	100.00	0.00		627	280	0	0
87	100.00	0.00		634	314	0	0
88	100.00	0.00		634	313	0	0.01
89	100.00	0.00		633	300	0	0
90	100.00	0.00		648	307	0	0.02
91	100.00	0.00		645	358	0	0
92	100.00	0.00		661	382	0	0.07

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Online Banking					
Day	Availability statistics		Performance statistics				
	Interface type	B	Payment services user interface	Dedicated interface			
		PSU Interface					
		C					
		Has exemption been granted for dedicated interface?		Yes			
	Uptime (%)	Downtime (%)	Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	97.22	2.78	600				
2	100.00	0.00	442				
3	100.00	0.00	438				
4	100.00	0.00	431				
5	79.17	20.83	518				
6	100.00	0.00	455				
7	100.00	0.00	447				
8	100.00	0.00	441				
9	100.00	0.00	442				
10	100.00	0.00	464				
11	100.00	0.00	469				
12	100.00	0.00	450				
13	100.00	0.00	495				
14	100.00	0.00	473				
15	100.00	0.00	505				
16	100.00	0.00	454				
17	100.00	0.00	461				
18	100.00	0.00	446				
19	90.21	9.79	486				
20	100.00	0.00	469				
21	100.00	0.00	470				
22	100.00	0.00	466				
23	100.00	0.00	464				
24	100.00	0.00	467				
25	100.00	0.00	451				
26	95.83	4.17	487				
27	100.00	0.00	475				
28	100.00	0.00	475				
29	100.00	0.00	463				
30	100.00	0.00	466				
31	100.00	0.00	451				
32	100.00	0.00	438				
33	100.00	0.00	438				
34	100.00	0.00	460				
35	100.00	0.00	448				
36	100.00	0.00	468				
37	100.00	0.00	434				
38	100.00	0.00	445				
39	100.00	0.00	431				
40	80.56	19.44	425				
41	100.00	0.00	452				
42	100.00	0.00	444				
43	100.00	0.00	435				
44	100.00	0.00	454				
45	100.00	0.00	498				
46	100.00	0.00	448				
47	100.00	0.00	469				
48	100.00	0.00	465				
49	100.00	0.00	465				
50	96.67	3.33	461				
51	100.00	0.00	463				
52	96.94	3.06	466				
53	100.00	0.00	453				
54	82.85	17.15	451				
55	100.00	0.00	468				
56	100.00	0.00	474				
57	100.00	0.00	450				
58	100.00	0.00	444				
59	100.00	0.00	461				
60	100.00	0.00	432				
61	100.00	0.00	431				
62	100.00	0.00	458				
63	100.00	0.00	469				
64	100.00	0.00	438				
65	100.00	0.00	460				
66	100.00	0.00	454				
67	100.00	0.00	448				
68	83.96	16.04	450				
69	100.00	0.00	464				
70	100.00	0.00	474				
71	100.00	0.00	471				
72	100.00	0.00	474				
73	100.00	0.00	476				
74	100.00	0.00	483				
75	100.00	0.00	476				

76	100.00	0.00	480				
77	100.00	0.00	479				
78	100.00	0.00	473				
79	100.00	0.00	476				
80	100.00	0.00	486				
81	100.00	0.00	476				
82	100.00	0.00	472				
83	100.00	0.00	493				
84	100.00	0.00	492				
85	100.00	0.00	483				
86	100.00	0.00	478				
87	100.00	0.00	473				
88	100.00	0.00	466				
89	100.00	0.00	461				
90	100.00	0.00	474				
91	100.00	0.00	467				
92	100.00	0.00	479				

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Mobile Banking					
Day	Availability statistics		Payment services user interface	Performance statistics			
	Interface type	B		Dedicated interface			
		PSU Interface					
		C					
	Has exemption been granted for dedicated interface?		Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBP II response (milliseconds)	Error response rate (%)
	Uptime (%)	Downtime (%)					
	D	E	F	G	H	I	J
1	97.01	2.99	604				
2	100.00	0.00	526				
3	100.00	0.00	549				
4	100.00	0.00	545				
5	100.00	0.00	601				
6	100.00	0.00	546				
7	100.00	0.00	542				
8	100.00	0.00	530				
9	100.00	0.00	540				
10	100.00	0.00	546				
11	100.00	0.00	528				
12	100.00	0.00	504				
13	100.00	0.00	515				
14	100.00	0.00	517				
15	100.00	0.00	520				
16	100.00	0.00	496				
17	100.00	0.00	510				
18	100.00	0.00	490				
19	100.00	0.00	490				
20	100.00	0.00	526				
21	100.00	0.00	518				
22	100.00	0.00	517				
23	100.00	0.00	517				
24	100.00	0.00	550				
25	100.00	0.00	522				
26	100.00	0.00	510				
27	100.00	0.00	550				
28	100.00	0.00	574				
29	100.00	0.00	533				
30	100.00	0.00	541				
31	100.00	0.00	594				
32	100.00	0.00	526				
33	100.00	0.00	499				
34	100.00	0.00	544				
35	100.00	0.00	714				
36	100.00	0.00	839				
37	95.83	4.17	519				
38	100.00	0.00	506				
39	100.00	0.00	470				
40	100.00	0.00	462				
41	100.00	0.00	476				
42	100.00	0.00	474				
43	100.00	0.00	472				
44	100.00	0.00	475				
45	100.00	0.00	494				
46	100.00	0.00	470				
47	84.03	15.97	452				
48	100.00	0.00	476				
49	100.00	0.00	487				
50	100.00	0.00	478				
51	100.00	0.00	484				
52	100.00	0.00	496				
53	100.00	0.00	468				
54	100.00	0.00	457				
55	100.00	0.00	485				
56	100.00	0.00	518				
57	100.00	0.00	504				
58	100.00	0.00	525				
59	100.00	0.00	573				
60	100.00	0.00	488				
61	100.00	0.00	478				
62	100.00	0.00	531				
63	100.00	0.00	549				
64	100.00	0.00	512				
65	100.00	0.00	500				
66	100.00	0.00	498				
67	92.78	7.22	489				
68	87.08	12.92	474				
69	100.00	0.00	499				
70	100.00	0.00	509				
71	100.00	0.00	515				
72	100.00	0.00	502				
73	100.00	0.00	511				

74	100.00	0.00	492				
75	100.00	0.00	470				
76	100.00	0.00	487				
77	100.00	0.00	481				
78	100.00	0.00	485				
79	100.00	0.00	476				
80	100.00	0.00	506				
81	100.00	0.00	472				
82	100.00	0.00	462				
83	100.00	0.00	496				
84	100.00	0.00	508				
85	100.00	0.00	490				
86	100.00	0.00	454				
87	100.00	0.00	468				
88	100.00	0.00	471				
89	100.00	0.00	461				
90	100.00	0.00	490				
91	100.00	0.00	487				
92	100.00	0.00	505				