

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A								
Interface Name/Id		Tesco Bank Open Banking API						
Day	Availability statistics		Performance statistics					
	Interface type	B	Payment services user interface	Dedicated interface				
		Dedicated Interface						
		C						
	Has exemption been granted for dedicated interface?							
	Yes							
Uptime (%)	Downtime (%)	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)		
D	E	F	G	H	I	J		
1	89.10	10.90		569	411	0	0.09	
2	100.00	0.00		550	395	0	0.02	
3	100.00	0.00		569	425	0	0.22	
4	100.00	0.00		537	407	0	0	
5	100.00	0.00		530	400	0	0	
6	81.11	18.89		706	410	0	3.48	
7	100.00	0.00		591	474	0	0.01	
8	100.00	0.00		561	400	0	0.08	
9	94.44	5.56		1522	1183	0	3.14	
10	100.00	0.00		538	390	0	0.08	
11	100.00	0.00		520	358	0	0	
12	100.00	0.00		517	371	0	0	
13	100.00	0.00		510	354	0	0	
14	100.00	0.00		532	374	0	0	
15	100.00	0.00		542	442	0	0.45	
16	100.00	0.00		540	369	0	0	
17	100.00	0.00		586	527	0	0.07	
18	100.00	0.00		593	494	0	0.02	
19	100.00	0.00		555	416	0	0.01	
20	100.00	0.00		522	352	0	0	
21	100.00	0.00		549	385	0	0	
22	91.88	8.12		649	470	0	0.37	
23	100.00	0.00		593	346	0	0.1	
24	91.18	8.82		558	312	0	0.01	
25	100.00	0.00		541	396	0	0.12	
26	100.00	0.00		512	359	0	0	
27	100.00	0.00		512	356	0	0	
28	100.00	0.00		530	388	0	0	
29	100.00	0.00		545	440	0	0.06	
30	100.00	0.00		548	425	0	0.04	
31	100.00	0.00		550	448	0	0	
32	100.00	0.00		577	409	0	0.01	
33	100.00	0.00		570	437	0	0.01	
34	100.00	0.00		555	477	0	0.01	
35	100.00	0.00		550	406	0	0.01	
36	89.44	10.56		609	432	0	0.18	
37	100.00	0.00		613	428	0	0.23	
38	100.00	0.00		580	417	0	0.01	
39	100.00	0.00		564	478	0	0.09	
40	100.00	0.00		572	445	0	0	
41	100.00	0.00		612	536	0	0.21	
42	100.00	0.00		572	405	0	0	
43	100.00	0.00		575	385	0	0.72	
44	100.00	0.00		608	1962	0	0.29	
45	100.00	0.00		546	80606	0	0.04	
46	100.00	0.00		547	48167	0	0.16	
47	100.00	0.00		520	320	0	0.01	
48	81.46	18.54		776	362	0	2.28	
49	100.00	0.00		527	371	0	0	
50	100.00	0.00		534	384	0	0	
51	100.00	0.00		560	437	0	0	
52	100.00	0.00		574	466	0	0.05	
53	100.00	0.00		608	501	0	0.13	
54	100.00	0.00		583	450	0	0	
55	100.00	0.00		555	456	0	0	
56	100.00	0.00		576	474	0	0.01	
57	100.00	0.00		792	685	0	0.1	
58	100.00	0.00		553	454	0	0	
59	98.61	1.39		558	432	0	0.01	
60	97.78	2.22		565	411	0	0.01	
61	100.00	0.00		550	485	0	0	
62	100.00	0.00		541	452	0	0	
63	100.00	0.00		560	440	0	0.01	
64	100.00	0.00		594	462	0	0.19	
65	100.00	0.00		553	432	0	0	
66	100.00	0.00		556	443	0	0.01	
67	100.00	0.00		575	495	0	0.01	
68	100.00	0.00		591	456	0	0.01	
69	80.42	19.58		715	460	0	1.49	
70	100.00	0.00		628	478	0	0.03	
71	100.00	0.00		608	517	0	2.11	
72	100.00	0.00		611	521	0	0.01	
73	87.50	12.50		627	603	0	1.15	

74	100.00	0.00		593	475	0	0
75	100.00	0.00		588	427	0	0
76	100.00	0.00		583	497	0	0.01
77	100.00	0.00		595	471	0	0.01
78	100.00	0.00		595	456	0	0.01
79	100.00	0.00		603	486	0	0.01
80	100.00	0.00		601	458	0	0
81	100.00	0.00		611	480	0	0.02
82	100.00	0.00		595	477	0	0
83	75.56	24.44		1599	578	0	3.9
84	100.00	0.00		601	414	0	0
85	100.00	0.00		606	483	0	0
86	100.00	0.00		575	394	0	0.02
87	100.00	0.00		563	410	0	0.1
88	100.00	0.00		574	515	0	0.03
89	100.00	0.00		543	461	0	0
90	100.00	0.00		538	466	0	0
91	100.00	0.00		571	407	0	0.13
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Online Banking					
Day	Availability statistics		Performance statistics				
	Interface type	B	Payment services user interface	Dedicated interface			
		PSU Interface					
		C					
		Has exemption been granted for dedicated interface?		Yes			
	Uptime (%)	Downtime (%)	Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	89.10	10.90	499				
2	100.00	0.00	469				
3	100.00	0.00	475				
4	100.00	0.00	468				
5	100.00	0.00	455				
6	81.11	18.89	480				
7	100.00	0.00	505				
8	100.00	0.00	481				
9	94.58	5.42	591				
10	100.00	0.00	464				
11	100.00	0.00	453				
12	100.00	0.00	445				
13	100.00	0.00	444				
14	100.00	0.00	460				
15	100.00	0.00	462				
16	100.00	0.00	420				
17	100.00	0.00	493				
18	100.00	0.00	505				
19	100.00	0.00	475				
20	100.00	0.00	483				
21	100.00	0.00	474				
22	91.88	8.12	485				
23	100.00	0.00	472				
24	100.00	0.00	455				
25	100.00	0.00	469				
26	100.00	0.00	439				
27	100.00	0.00	448				
28	100.00	0.00	466				
29	100.00	0.00	479				
30	100.00	0.00	471				
31	100.00	0.00	469				
32	100.00	0.00	470				
33	100.00	0.00	471				
34	100.00	0.00	462				
35	100.00	0.00	462				
36	89.44	10.56	493				
37	100.00	0.00	495				
38	100.00	0.00	525				
39	100.00	0.00	459				
40	100.00	0.00	463				
41	100.00	0.00	483				
42	100.00	0.00	473				
43	100.00	0.00	466				
44	100.00	0.00	462				
45	100.00	0.00	464				
46	100.00	0.00	466				
47	100.00	0.00	517				
48	81.46	18.54	448				
49	100.00	0.00	450				
50	100.00	0.00	452				
51	100.00	0.00	449				
52	100.00	0.00	466				
53	100.00	0.00	482				
54	100.00	0.00	307				
55	100.00	0.00	448				
56	100.00	0.00	473				
57	100.00	0.00	588				
58	100.00	0.00	455				
59	98.61	1.39	458				
60	97.78	2.22	466				
61	100.00	0.00	445				
62	100.00	0.00	448				
63	100.00	0.00	462				
64	100.00	0.00	462				
65	100.00	0.00	449				
66	100.00	0.00	449				
67	100.00	0.00	458				
68	100.00	0.00	500				
69	80.42	19.58	469				
70	100.00	0.00	502				
71	100.00	0.00	481				
72	100.00	0.00	488				
73	87.50	12.50	487				
74	100.00	0.00	465				
75	100.00	0.00	523				

76	100.00	0.00	462				
77	100.00	0.00	474				
78	100.00	0.00	467				
79	100.00	0.00	469				
80	100.00	0.00	475				
81	100.00	0.00	476				
82	100.00	0.00	461				
83	75.56	24.44	495				
84	100.00	0.00	476				
85	100.00	0.00	476				
86	100.00	0.00	473				
87	96.60	3.40	593				
88	100.00	0.00	498				
89	100.00	0.00	444				
90	100.00	0.00	444				
91	100.00	0.00	477				
92							

REP020 Quarterly statistics on availability and performance of dedicated interfaces

A

1 Do you wish to make a nil return?

No

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

A							
Interface Name/Id		Tesco Bank Mobile Banking					
Day	Availability statistics		Performance statistics				
	Interface type	B	Payment services user interface	Dedicated interface			
		PSU Interface					
		C					
	Has exemption been granted for dedicated interface?	Yes					
	Uptime (%)	Downtime (%)	Response (milliseconds)	PISP response (milliseconds)	AISP response (milliseconds)	CBPII response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	89.24	10.76	576				
2	100.00	0.00	531				
3	100.00	0.00	514				
4	100.00	0.00	513				
5	100.00	0.00	499				
6	100.00	0.00	497				
7	100.00	0.00	532				
8	100.00	0.00	519				
9	95.28	4.72	568				
10	100.00	0.00	514				
11	100.00	0.00	502				
12	100.00	0.00	495				
13	100.00	0.00	465				
14	100.00	0.00	471				
15	100.00	0.00	494				
16	100.00	0.00	489				
17	100.00	0.00	526				
18	100.00	0.00	473				
19	100.00	0.00	465				
20	100.00	0.00	448				
21	100.00	0.00	460				
22	91.67	8.33	499				
23	100.00	0.00	491				
24	91.18	8.82	490				
25	100.00	0.00	539				
26	100.00	0.00	482				
27	100.00	0.00	471				
28	100.00	0.00	516				
29	100.00	0.00	509				
30	100.00	0.00	526				
31	100.00	0.00	517				
32	100.00	0.00	506				
33	100.00	0.00	488				
34	100.00	0.00	479				
35	99.86	0.14	497				
36	89.38	10.62	524				
37	100.00	0.00	517				
38	100.00	0.00	488				
39	100.00	0.00	513				
40	100.00	0.00	488				
41	83.68	16.32	485				
42	100.00	0.00	502				
43	100.00	0.00	511				
44	100.00	0.00	507				
45	100.00	0.00	522				
46	100.00	0.00	548				
47	100.00	0.00	479				
48	100.00	0.00	479				
49	100.00	0.00	499				
50	100.00	0.00	500				
51	100.00	0.00	490				
52	100.00	0.00	504				
53	100.00	0.00	539				
54	100.00	0.00	495				
55	100.00	0.00	476				
56	100.00	0.00	491				
57	100.00	0.00	535				
58	100.00	0.00	567				
59	98.47	1.53	535				
60	97.71	2.29	557				
61	100.00	0.00	490				
62	100.00	0.00	493				
63	100.00	0.00	521				
64	100.00	0.00	522				
65	100.00	0.00	515				
66	100.00	0.00	523				
67	100.00	0.00	506				
68	91.88	8.12	489				
69	82.78	17.22	475				
70	100.00	0.00	488				
71	100.00	0.00	541				
72	100.00	0.00	487				
73	87.50	12.50	490				

74	100.00	0.00	496				
75	100.00	0.00	476				
76	100.00	0.00	474				
77	100.00	0.00	498				
78	100.00	0.00	498				
79	100.00	0.00	502				
80	100.00	0.00	504				
81	100.00	0.00	517				
82	100.00	0.00	485				
83	100.00	0.00	499				
84	100.00	0.00	512				
85	100.00	0.00	512				
86	100.00	0.00	520				
87	96.74	3.26	526				
88	100.00	0.00	585				
89	100.00	0.00	487				
90	100.00	0.00	483				
91	100.00	0.00	585				
92							